



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A61K 7/48, 7/06</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/59540</b> <b>(43) International Publication Date:</b> 25 November 1999 (25.11.99)
<b>(21) International Application Number:</b> PCT/EP99/03592 <b>(22) International Filing Date:</b> 21 May 1999 (21.05.99) <b>(30) Priority Data:</b> 9810799.8 21 May 1998 (21.05.98) GB <b>(71) Applicants (for all designated States except US):</b> THE BOOTS COMPANY PLC [GB/GB]; 1 Thane Road West, Nottingham NG2 3AA (GB). BUTCHER, Kate, Elizabeth [GB/GB]; The Boots Company plc, 1 Thane Road West, Nottingham NG2 3AA (GB). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> de GRAAF, Thalie, Paulina [GB/GB]; The Boots Company plc, 1 Thane Road West, Nottingham NG2 3AA (GB). GALLEY, Edward [GB/GB]; The Boots Company plc, 1 Thane Road West, Nottingham NG2 3AA (GB). <b>(74) Agent:</b> THACKER, Michael, Anthony; Group Patents D31, 1 Thane Road West, Nottingham NG2 3AA (GB).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> ANTIMICROBIAL AGENT		
<b>(57) Abstract</b> <p>The present invention discloses a topical antimicrobial composition containing high surface area zinc oxide powder, said powder having a surface area between 30 m<sup>2</sup>/g and 100 m<sup>2</sup>/g and a particle size between 0.1 and 200 μm in diameter. The antimicrobial properties of the compositions make them suitable for treating acne, athletes foot, nappy rash and dandruff.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## ANTIMICROBIAL AGENT

This invention teaches the use of a modified form of zinc oxide as an agent to inhibit microbial growth.

5

Micro-organisms, present upon the skin exacerbate many minor human afflictions, such as acne, dandruff and athletes foot. Despite the considerable amount of research conducted upon these subjects, these are still common complaints. Efforts have focused upon developing agents which will kill off the micro-organisms, and are suitable for application to the human body. Not only do micro-organisms continuously develop resistance but many successful antimicrobials cause burning or irritation to the skin. Thus, there is an enormous need for new antimicrobials.

10

15

This invention discloses the new use of a modified form of zinc oxide as an antimicrobial agent. The zinc oxide has a surface area between  $30\text{m}^2/\text{g}$  and  $100\text{m}^2/\text{g}$ , preferably greater than  $90\text{m}^2/\text{g}$ . The zinc oxide particles used in this invention have a diameter between  $0.1$  and  $200\mu\text{m}$ . Hereinafter, such zinc oxide particles shall be known as "high surface area zinc oxide". The surface area of the material can be determined using laser diffraction. From the surface area, the mean estimated spherical diameter may be calculated. The diameter of the particles is henceforth taken to mean the mean estimated spherical diameter. The surface area of the high surface area zinc oxide particles used with this invention was calculated using a Micromeritics Flavorsorb II 2300 BET apparatus. Such a zinc oxide is commercially available from Elementis as Activox C80.

20

25

The production of such zinc oxides is well documented.

### WO 95/04704 (Harcros)

30

This patent discloses a method for the production of zinc oxide in the form of discrete particles which have an average particle size of  $0.08\mu\text{m}$  or less in

diameter and a surface area  $>12.5\text{m}^2/\text{g}$ . The zinc oxide produced is found to be particularly good for as an additive for scattering/absorbing UV light.

S. Tichy, SOFW - Journal 119 Jahrgang 8/93

This article teaches a method for producing zinc oxide with a particle size of  $0.20\text{ }\mu\text{m}$  and a surface area of  $50\text{-}150\text{m}^2/\text{g}$ .

Liu et al - Journal of Materials Science 21 (1986) 3698-3702

This describes another method of producing zinc oxide particles with a diameter of  $0.15\text{ }\mu\text{m}$  and a surface area of about  $50\text{m}^2/\text{g}$ .

These articles are but a small selection from a large number of articles detailing the manufacture of high surface area zinc oxide particles.

Surprisingly, it has been found that high surface area zinc oxide is a potent agent for stopping microbial growth. *In vitro* trials have demonstrated its great efficacy against the micro-organisms responsible for a number of common human afflictions. However, for them to be effective in use, they must be applied to the body.

Many antimicrobials are harsh reagents that cause burning and irritation to human skin, and so are unsuitable for application to the human body. High surface area zinc oxide is a mild reagent which does not cause burning and irritation to the skin. Thus it is suitable for incorporation into formulations designed to be applied to human skin.

Because of its high potency and because it does not irritate the skin, high surface area zinc oxide may be included in formulations designed to treat some of the more common human afflictions which are microbial in origin or exacerbated by subsequent microbial growth.

Microbes are commonly taken to mean any organism too small to be seen unless by microscopy. For the purposes of this invention it is further defined to include bacteria and microscopic fungi. Microscopic fungi is defined to include yeasts.

The present invention provides topical antimicrobial compositions containing a cosmetically acceptable diluent or carrier, and an antimicrobially effective amount of high surface area zinc oxide, having a surface area between 30m<sup>2</sup>/g and 100m<sup>2</sup>/g and a particle size with a diameter between 0.1 and 200 μm.

Preferably the surface area of the high surface area zinc oxide is greater than 90m<sup>2</sup>/g and the particle size is between 0.1 and 20.5 μm.

In a preferred topical formulation, the high surface area zinc oxide is present from 1 to 10%, preferably 3 to 8%, most preferably 4 to 6% by weight of the total composition.

Acne is a common affliction of many people in their teenage years and sometimes beyond. As a result of puberty, teenagers often have increased levels of sebum. The initial inflammation of the follicle wall in the development of acne results from the presence of free fatty acids derived from the sebum. The normal bacterial flora in the sebaceous duct produce the enzymes responsible for splitting triglycerides in the sebum and releasing these fatty acids. The main micro-organisms in the sebaceous duct are *Propionibacterium acnes* and one or two species of *Staphylococcus aureus*. Therefore in the presence of excess sebum these micro-organisms result in the development of acne.

Most approaches to a cure for acne focus on trying to absorb the excess sebum or to act on the bacteria present.

High surface area zinc oxide has been found to inhibit the growth of *Staphylococcus aureus* and *Propionibacterium acnes*. By inhibiting their growth, less of the sebum is split into the free fatty acids which act to inflame the follicle wall. It may be used as a bacteriostatic agent. So high surface area zinc oxide may be used to treat acne. High surface area zinc oxide may be used in the preparation of a medicament for the treatment of acne.

Athletes foot is the loose term applied to a skin eruption on the foot, usually between the toes. It is a cutaneous fungal infection, most commonly caused by *Tricophyton rubrum*, *Tricophyton mentagrophytes* or *Epidermophyton floccosum*. In addition to the effect of the micro-organisms, other factors such as wetness or an increase in temperature can contribute to disease development by providing ideal conditions for the initiation and growth of fungal infections.

The condition is commonly treated by careful foot hygiene, removing the damp conditions helpful to fungal growth and by the use of antifungal agents. High surface area zinc oxide has been found to be a potent antifungal agent. This invention teaches high surface area zinc oxide as a potent antifungal agent and the use of high surface area zinc oxide as a treatment for athletes foot. High surface area zinc oxide may be used in the preparation of a medicament for the treatment of athletes foot.

Dandruff is a common human condition characterised by the excess scaling of scalp tissue. *Pityrosporum ovale* is a yeast whose growth is accelerated as a result of the dandruff condition, resulting in secondary infection and a worsening of the condition.

It has been found that high surface area zinc oxide is a potent agent against microbial growth particularly at inhibiting the growth of *P.ovale* and *S.aureus*. So high surface area zinc oxide may be used to prevent microbial growth occurring during dandruff conditions. High surface area zinc oxide may be used in the preparation of a medicament for the treatment of dandruff.

Nappy rash, the skin eruption which tends to occur on the buttocks of infants is due to infrequent changing of soiled nappies. The condition is often worsened by secondary infection with *Candida albicans*. To prevent this condition, nappies are changed regularly and care is taken to ensure that the baby's bottom is dried properly. The buttocks are commonly treated with an agent to absorb any surplus liquid.

High surface area zinc oxide has been found to be highly efficacious when used in the treatment of nappy rash. It is a potent antifungal, and by stopping the growth of *Candida albicans* it prevents the associated secondary infection.

In an embodiment of the invention, the compositions may be formulated as a gel. Such gels may be formulated in a manner known to those skilled in the art, and may include, but not limited to:-

- a) antibacterials such as dichlorobenzyl alcohol, triclosan, chlorhexidine digluconate and salicylic acid;
- b) oil absorbers such as silica;
- 20 c) alcohols such as denatured ethanol, isopropyl alcohol;
- d) humectants such as panthenol, butylene glycol, glycerin and propylene glycol;
- e) preservatives such as methyldibromo glutaronitrile, phenoxyethanol, magnesium chloride, magnesium nitrate, methylchloroisothiazolinone, methylisothiazolinone or any paraben, for example such as
- 25 methylparaben, ethyl paraben and propyl paraben;
- f) solubilisers such as polysorbate 20, polyethylene glycol-40 hydrogenated castor oil;
- 30 g) gelling agents such as xanthan gum, hydroxyethylcellulose, sodium magnesium silicate;

h) emollients such as glycerin, propylene glycol and butylene glycol.

In a further embodiment of the invention, the antimicrobial formulation may be a skin wash, such as a cleanser, moisturiser, face wash, lotion, stick or cream.

5 The composition may be formulated in a manner known to those skilled in the art. Such compositions may include, though not limited to:-

a) alcohols such as propanol, stearyl alcohol, denatured ethanol.

10 b) emulsifiers such as steareth-2, glyceryl stearate, hydrogenated vegetable glycerides, steareth-21, ceteth-20, cetyl alcohol, cetearyl alcohol, stearic acid, paraffin, stearyl alcohol, polawax, tribehenin, cetareth-7, ceteth-5.

c) emollients such as Polypropylene Glycol 5-ceteth-20, methyl gluceth-10,  
15 Dicaprytyl maleate, cetearyl isononanoate, silicones, paraffinum liquidum and octyl palmitate petrolatum, dioctyl maleate, isohexadecane, cetearyl octanoate and isopropyl myristate.

d) solubilisers such as polysorbate 80, polysorbate 20, polyethylene glycol-40  
20 hydrogenated castor oil, any polysorbate.

e) antibacterials such as triclosan, chlorhexidine digluconate, salicylic acid and dichlorobenzyl alcohol.

25 f) thickeners such as hydroxyethylcellulose, xanthan gum, sodium magnesium silicate, magnesium aluminium silicate and cellulose.

g) detergents such as sodium laureth sulfate, ammonium lauryl sulfate, magnesium lauryl sulfate, disodium undecylenamido MEA-sulfosuccinate.

30

h) preservatives such as phenoxyethanol, 2-bromo-2-nitropropane-1,3-diol, methyldibromo glutaronitrile, imidazolidinyl urea, magnesium chloride, magnesium



nitrate, methylchloroisothiazolinone, methylisothiazolinone, or any paraben, for example such as propyl paraben, butyl paraben, ethyl paraben, methyl paraben.

i) absorbents such as hydrated silica, clays, talcs.

j) antioxidants such as butylated hydroxytoluene or butylated hydroxyacetone.

k) moisturisers such as butylene glycol, propylene glycol, sorbitol and glycerin, panthenol, sodium hyaluronate, sodium PCA.

In another embodiment of the invention the composition may be formulated as a shampoo. Such a composition may be formulated in a manner known to those skilled in the art, and may include, but not limited to:-

a) surfactants such as cocamidopropyl betaine and sodium laureth sulphate;

b) thickeners such as xanthan gum, hydroxyethylcellulose, laureth 3, sodium chloride, polyethylene glycol-55 propylene glycol oleate and polyethylene glycol-40 hydrogenated castor oil;

c) pearlising agents such as formaldehyde, stearic acid, cocamide MEA, glycol distearate glycol stearate and methyldibromo glutaronitrile;

d) solubilisers such as laureth 3, polyethylene glycol-40 hydrogenated castor oil, polyethylene glycol-55 propylene glycol oleate and propylene glycol;

e) conditioners such as polyquaternium-39, polyquaternium-7, polyquaternium-10 and hydroxypropyl guar hydroxypropylthrimonium chloride;

The efficacy of high surface area zinc oxide as an antimicrobial agent has been demonstrated by *in vivo* and *in vitro* trials. The suitability of high surface area zinc oxide for the purposes stated herein has been demonstrated by trials of standard control formulations against those formulations containing high surface area zinc oxide.

The invention is further disclosed by way of the following, non limiting examples. Unless otherwise stated, the zinc oxide used in the following formulations has a surface area greater than 90m<sup>2</sup>/g and the particles have an average diameter of 10.47  $\mu$ m.

#### Example 1 - Skin Treatment Gel + High Surface Area Zinc Oxide

<u>Ingredients</u>	<u>%</u>
Alcohol (denatured)	10.00
Allantoin	0.10
Glycerin	1.00
Butylene Glycol	4.00
Xanthan Gum	1.00
Phenoxyethanol	0.20
Hydrated silica	0.50
Dichlorobenzyl alcohol	0.10
Colour	qs
Benzophenone - 4	0.10
Purified Water	to 100
Panthenol	0.50
High Surface Area Zinc Oxide	5

Xanthan gum, dispersed in 2% of the butylene glycol was added to some of the purified water, and mixed together for 30 minutes. Allantoin, sequestrene and

panthenol were added and the mixture was then stirred for 5 minutes. The mixture was cooled to 35°C, then premixed phenoxyethanol and glycerin was added to the mixture, followed by premixed alcohol (denatured) and purified water, followed by premixed dichlorobenzyl alcohol and butylene glycol. The mixture was then stirred. Benzophenone-4 and water were then added with stirring, followed by hydrated silica and high surface area zinc oxide. The mixture was stirred, cooled to below 35°C and then the colour was added. Cold water was added to the bulk, and the mixture stirred for a further 30 minutes.

## 10 Example 2 - Non-oily Moisturiser + High Surface Area Zinc Oxide

	<u>Ingredients</u>	<u>%</u>
	High Surface Area Zinc Oxide	5
15	Colour	qs
	Perfume	0.10
	Triclosan	0.10
	Allantoin	0.10
	Phenoxyethanol	0.20
20	Hydroxyethylcellulose	2.00
	Polysorbate 20	1.00
	Butylene Glycol	3.50
	Glycerin	4.50
	Purified Water	to 100

25

### Stage 1

Hydroxyethylcellulose was added to purified water and then homogenised for at least 30 minutes. The homogeniser was switched off and with stirring allantoin and phenoxyethanol, which had been previously dissolved in glycerin and butylene glycol, were added.

30

## Stage 2

Butylene glycol and glycerin were warmed together to 45°C. Then with stirring, triclosan and high surface area zinc oxide were added, stirred and completely dissolved and cooled to 35°C.

## Stage 3

Using a homogeniser, stage 2 was added to stage 1 and homogenised for 10 minutes. The perfume, previously dispersed in polysorbate 20 was then added and stirred in well. The colour was added and the emulsion was then homogenised for a further 5 to 10 minutes until the product was smooth. Purified water, sufficient to make the formulation up to bulk, was then added.

### Example 3 - Cleansing Lotion + High Surface Area Zinc Oxide

15	<u>Ingredients</u>	<u>%</u>
	High Surface Area Zinc Oxide	5.00
	Purified Water	to 100
	Colours	qs
20	Melaleuca alternifolia	0.50
	Polypropylene- 5-ceteth- 20	3.25
	Polysorbate 80	0.20
	Citric acid	0.12
	Disodium Phosphate	0.38
25	Triclosan	0.30
	Butylene Glycol	0.20
	Alcohol (denatured)	48.00

## Stage 1

Alcohol (denatured) and triclosan were mixed together until homogeneous. Water was added and mixed well. Butylene glycol was then added and the mixture stirred.

## Stage 2

To a suitable stainless steel container disodium phosphate and water were added and warmed to 55-60°C with stirring. Then some water was added, with stirring and the mixture was then allowed to cool.

## Stage 3

When the temperature of stage 2 had reached 20-25°C it was added to stage 1 with stirring. Citric acid was added and mixed well. To a suitable stainless steel container polypropylene glycol-5-ceteth-20, melaleuca alternifolia and high surface area zinc oxide were added. This was then mixed thoroughly and added to the main vessel. In a suitable container polypropylene glycol-5-ceteth-20 and polysorbate 80 were premixed and this was then added to the main vessel. The colour was added, followed by water to make up to bulk.

### Example 4 - Cleansing Wash + High Surface Area Zinc Oxide

	<u>Ingredients</u>	<u>%</u>
	Cocamidopropyl betaine 30%	5.00
20	Benzophenone - 4	0.10
	Sodium citrate	0.60
	Disodium undecylenamido MEA- sulfosuccinate solution	1.00
	Triclosan	0.20
25	Salt	1.00
	Laureth - 3	2.00
	Sodium laureth sulphate	47.20
	Melaleuca alternifolia	0.50
	Phenoxyethanol	0.15
30	Colour	qs
	Citric acid	0.10
	Purified Water	to 100

High Surface Area Zinc Oxide

5.00

Stage 1

5 In a vessel sodium laureth sulphate, melaleuca alternifolia and high surface area zinc oxide were mixed until uniform.

Stage 2

10 In the base pan the triclosan was dispersed in cocamidopropyl betaine 30% and stirred for 5 minutes. The purified water was added and stirred well. Citric acid was added and stirred until dissolved followed by sodium citrate, which was stirred until dissolved and then stirred for a further 10 minutes. The mixture was cooled to 30-35°C. Then premixed phenoxyethanol in water, followed by benzophenone-4 in water were added. The colour was added followed by saline solution and water to make up to bulk.

15

**Example 5 - Moisture Fluid + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
20	High Surface Area Zinc Oxide	5.00
	Glyceryl stearate	1.50
	Steareth-2	2.00
	Steareth-21	1.00
	Cetyl Alcohol	1.00
25	Glycerin	1.00
	Butylene Glycol	2.00
	Purified Water	86.50

Stage 1

30 Glyceryl stearate, steareth-2, steareth-21, cetyl alcohol and high surface area zinc oxide were melted together at 70-75°C.

## Stage 2

Glycerin was dissolved with stirring, in water at 70-75°C.

## Stage 3

5 Stage 1 was then added to stage 2 with stirring and then homogenised for 15 minutes. Water was added to the stirred mixture, which was subsequently cooled to 35°C. Butylene glycol was added and the mixture stirred until homogeneous and then made up to bulk with water.

10 Example 6 - Anti Dandruff Shampoo + High Surface Area Zinc Oxide

	<u>Ingredients</u>	<u>%</u>
	Magnesium aluminium silicate	0.30
15	Polyacrylic acid solution	1.50
	Purified water	60.10
	High Surface Area Zinc Oxide	2.00
	Preservative	0.08
	Salt	1.00
20	Citric acid	0.02
	Cocamidopropyl betaine 50%	5.00
	Sodium laureth sulphate	30.00

25 Citric acid, salt and preservative were dissolved in water. Polyacrylic acid solution and magnesium aluminium silicate were added and the mixture homogenised. The mixture was then stirred for 20 minutes. High surface area zinc oxide, sodium laureth sulphate and cocamidopropyl betaine were added, followed by sufficient salt to obtain the correct viscosity.

30

**Example 7 - Mens Facial Wash + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
5	High Surface Area Zinc Oxide	5.00
	Hydroxyethylcellulose	1.25
	Sodium laureth sulfate	6.57
	Disodium undecylenamido MEA-sulfosuccinate	1.00
	Butylene Glycol	2.00
10	Preservative	0.80
	Benzoic acid	0.10
	Polysorbate 20	2.00
	Perfume	0.40
	Herbal extract	0.60
15	Colour	qs
	Purified Water	to 100

**Stage 1**

Butylene glycol and preservative were put in a stainless steel vessel and  
20 then mixed until uniform.

**Stage 2**

Perfume, polysorbate 20 and high surface area zinc oxide were put in  
another container and mixed until uniform.

25

**Stage 3**

Hydroxyethylcellulose was mixed with some of the water in a stainless steel  
vessel for 20-30 minutes until fully dispersed. Stage 1 was added, mixed and then  
the herbal extract, benzoic acid and colour were added and then mixed until fully  
30 dispersed.



## Stage 4

Sodium laureth sulfate and disodium undecylenamido MEA-sulfosuccinate were added to stage 3 and mixed. Stage 2 was then added and mixed thoroughly. Cold water was added to make up to bulk. The bulk was stirred carefully to prevent foaming.

**Example 8 - Translucent Complexion Base + High Surface Area Zinc Oxide**

10	<u>Ingredients</u>	<u>%</u>
	High Surface Area Zinc Oxide	5.00
	Purified Water	46.68
	Triethanolamine pure solution 80%	1.50
15	Methylparaben	0.20
	Polypropylene glycol-5-ceteth -20	0.60
	Allantoin	0.10
	Hydrated silica	12.00
	Stearic acid	12.00
20	Cetyl Alcohol	1.20
	Butylene Glycol	10.00
	Propylparaben	0.10
	Dicaprylyl maleate	4.00
	Alcohol denatured	2.00
25	Sodium C8-16 isoalkylsuccinyl lactoglobulin sulfonate	1.00
	Alpha-glucan oligosaccharide	0.20
	Herbal extract	0.40
	Octyl palmitate	3.00
	Butylated hydroxytoluene	0.02
30		

**Stage 1**

Butylene glycol, allantoin, polypropylene glycol-5-ceteth 20 and methylparaben were added, whilst stirring, to the water at 70-75°C. Hydrated silica  
5 and high surface area zinc oxide was then gradually added and mixed until uniform.

**Stage 2**

Stearic acid, cetyl alcohol, octyl palmitate, dicaprylyl maleate were melted  
10 together at 70-75°C. Using a silverson, butylated hydroxytoluene, propylparaben and triethanolamine pure solution 80% were added and the mixture stirred for 5 minutes.

**Stage 3**

Both stages were warmed to 70-75°C, then stage 2 was added to stage 1,  
15 and stirred for 5-10 minutes. The mixture was cooled to 40°C with stirring, then dicaprylyl maleate was added. The mixture was cooled to 30°C then alpha-glucan oligosaccharide in water, denatured alcohol, sodium C8-16 isoalkylsuccinyl lactoglobulin sulfonate, herbal extracts and water were added to the mixture. The  
20 mixture was then stirred until uniform.

**Example 9 - Pressed Powder + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
25	High Surface Area Zinc Oxide	5.00
	Sanitised talc	85.72
	Magnesium Stearate	5.00
	Methylparaben	0.10
30	Red colour	0.23
	Yellow colour	0.45
	Paraffinum liquidum	2.10

Petrolatum

1.40

Sanitised talc, magnesium stearate, methylparaben, high surface area zinc oxide and colours were mixed together for 10 minutes at high speed. Paraffinum liquidum and petrolatum were mixed together, heated to 75°C then sprayed into the bulk mixture at low speed. The bulk was mixed for 5 minutes, then passed twice through a hammer mill before being passed through a 30 mesh sieve.

**Example 10 - Cover Up Stick + High Surface Area Zinc Oxide**

10

<u>Ingredient</u>	<u>%</u>
Chalk	23.31
Carnauba	1.29
Candelilla Cera	1.01
Hydrocarbon was consisting of Cera	
Microcristallina, paraffin and	
polyethylene	4.60
Cera Microcristallina	4.22
Butylated hydroxyacetone	0.03
Propylparaben	0.10
Octyldodecanol	46.02
Triclosan	0.19
Allantoin	0.14
Pigment	11.98
High Surface Area Zinc Oxide	5.00
Synthetic wax	2.01

25

30

Pigments, high surface area zinc oxide and chalk were added to the Diosna mixer and mixed for 30 minutes. The mix was then passed through the Mikro mill, then a vibrating sieve to give the colour preparation.

White wax, Carnauba and candelilla cera were added to a stainless steel steam jacketed pan fitted with a premier dispersator head, and melted together at 90-95°C. To the melt was added the hydrocarbon wax. When melted, ocyldodecanol was added and the mixture stirred.

The mixture was cooled to 85-90°C then propylparaben, butylated hydroxyacetone and triclosan were added to the stirred mixture, followed by allantoin and then by the colour preparation. The mixture was then stirred for a further ten minutes.

The mixture was then stirred through a 40 mesh sieve into a shallow tray and stirred slowly until set.

#### Example 11 - Baby Lotion Wipes +High Surface Area Zinc Oxide

<u>Ingredient</u>	<u>%</u>
Sodium citrate	0.10
Purified water	70.03
Perfume	0.10
Polyaminopropyl biguanide	0.75
2-Bromo-2-Nitropropane-1,3-Diol	0.02
Cetrimonium bromide	0.50
A wax blend consisting of cetearyl alcohol, cetyl palmitate, cocoglycerides and glyceryl stearate	0.50
Steareth-10	1.50
An emulsifier blend consisting of glyceryl stearate and polyethylene glycol-30 stearate	1.50
Mineral oil	20.00
High Surface Area Zinc Oxide	5.00

### Stage 1

Stearth 10 and high surface area zinc oxide was added to a base pan containing mineral oil at 70°C. The emulsifier blend and the wax blend were then added to the stirred mixture and melted together at 70°C.

### Stage 2

Cetrimonium bromide was added to purified water at 70°C and mixed in a homogeniser.

### Stage 3

Stage 1 was then added to stage 2, homogenised and stirred. Cold purified water was added and the mixture force cooled to 35°C. The perfume was then added, followed by polyaminopropyl biguanide and a solution of 2-bromo-2-nitropropane-1,3-diol in cold water. Water was then added to make up to bulk. Paper wipes were subsequently impregnated with the lotion produced, to give the baby lotion wipes.

### Example 12 - Nappy Rash Cream + High Surface Area Zinc Oxide

20

<u>Ingredient</u>	<u>%</u>
Cetearyl alcohol	2.00
High Surface Area Zinc Oxide	5.00
25 Arachis Hypogaena	30.50
Cera Alba	10.00
Ricinus Communis	52.50

Arachis hypogaena, cera alba and cetearyl alcohol were mixed together in a base pan at 65-70°C. The mixture was then pumped through an 80 mesh sieve into a mixing vessel. High surface area zinc oxide was added to the mixture which

was stirred for 5 minutes until homogeneous. Ricinus communis was then added to the mixture and the mixture stirred for 5 minutes until homogeneous.

5     **Example 13 - Nappy Cream + High Surface Area Zinc Oxide**

	<u>Ingredient</u>	<u>%</u>
	Purified water	39.40
10	p-chloro-m-cresol	0.10
	Cetrimonium bromide	0.50
	Cetearyl alcohol	5.00
	Paraffinum liquidum	40.00
	Dimethicone	10.00
15	High Surface Area Zinc Oxide	5.00

Cetrimonium bromide and p-chloro-m-cresol were added to a base pan containing water at 60-65°C. A vacuum was applied to a fryma and the contents of the base pan transferred to the mixer via a sieve.

20

Dimethicone, paraffinum liquidum and cetearyl alcohol were added to the base pan, and warmed to 60-65°C. The contents of the base pan were then transferred to the mixer via a sieve. The contents of the mixer were stirred for 10 minutes. Maintaining the vacuum on the mixer, the stirred contents were cooled to 25 50-60°C when high surface area zinc oxide was added. The mixture was then stirred until a smooth white cream was produced. The cream was then cooled to 35°C and discharged to storage.

30

**Example 14- Shower Gel + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
5	Purified Water	47.48
	Perfume	0.10
	Colour	0.00075
	Salt	1.19
	Dichlorobenzyl Alcohol	0.50
10	Butylated Hydroxytoluene	0.0048
	Triclosan	0.2916
	PEG – 7 Glyceryl Cocoate	2.916
	Citric Acid	0.0216
15	A preservative blend consisting of: Phenoxyethanol, Butylparaben, Ethylparaben, Methylparaben and Propylparaben	0.80
	Cocamidopropyl Betaine	5.83
	Sodium Laureth Sulfate	45.89
	High Surface Area Zinc Oxide	5.00

20

High surface area zinc oxide was added to purified water and mixed well. Salt and citric acid were then added and the mixture stirred until both had dissolved. Sodium laureth sulfate, cocamidopropyl betaine, phenoxyethanol, butylparaben, ethylparaben, methylparaben and propylparaben were then added and the mixture

25

stirred.

PEG 7 Glyceryl cocoate, butylated hydroxytoluene, triclosan and dichlorobenzyl alcohol were mixed together and warmed to 45°C. Perfume was then added and the mixture stirred until homogenous.

30

The two mixtures were then combined and stirred until homogenous. Colour solution was added to the stirred mixture followed by water to make up to bulk. The mixture was then stirred until uniform.

5 **Example 15 – Acne Lotion + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
	Purified Water	85.115
10	Benzoyl Peroxide	6.667
	Hydroxyethylcellulose	1.00
	Citric Acid	1.53
	Sodium Hydroxide	0.6915
	High Surface Area Zinc Oxide	5.00

15

Sodium hydroxide was added to a stirred aqueous solution of citric acid. Hydroxyethylcellulose was then added to the mixture which was then stirred for 30 minutes. Benzoyl peroxide was then added followed by some water. The mix was stirred for 2 minutes then homogenised for 20 minutes under vacuum. High surface area zinc oxide was then added to the mixture and stirred thoroughly. Aqueous sodium hydroxide was then added to the stirred mixture, which was then stirred for a further hour.

20

**Example 16 – Sensitive Cleansing Pads + High Surface Area Zinc Oxide**

25

	<u>Ingredients</u>	<u>%</u>
	Purified Water	68.53
	A preservative blend consisting of: Phenoxyethanol	
30	Butylparaben, Ethylparaben, Methylparaben and	
	Propylparaben	0.80
	Perfume	0.05



	Polysorbate 20	1.02
	Sodium Citrate	0.20
	Citric Acid	0.06
	Cetrimoniumbromide	0.51
5	Alcohol (denatured)	17.38
	PPG – 5 – Ceteth – 20	0.31
	Butylene Glycol	4.60
	Glycerin	1.02
	Chlorhexidine Digluconate	0.51
10	High Surface Area Zinc Oxide	5.00

Chlorhexidine gluconate, butylene glycol, PPG-5-Ceteth-20, glycerin, cetrimoniumbromide, citric acid, sodium citrate were dissolved in purified water. Denatured alcohol, high surface area zinc oxide and the preservative blend were then added and the mixture stirred. A mixture of Polysorbate 20 and perfume was then added and the mixture stirred. Purified water was added to make up to bulk. The mixture was stirred for 30 minutes then pumped through an 80 mesh sieve to a suitable storage vessel. Rayon/polyester pads were subsequently impregnated with the mixture, to give the sensitive cleaning pads.

20

#### Example 17 – Overnight Gel + High Surface Area Zinc Oxide

	<u>Ingredients</u>	<u>%</u>
25	Purified Water	50.6
	Perfume	0.05
	Triclosan	0.10
	Dichlorobenzyl Alcohol	0.50
	Alcohol (denatured)	39.50
30	Hydroxyethylcellulose	1.25
	Glycerin	3.00
	High Surface Area Zinc Oxide	5.00

Hydroxyethylcellulose and glycerin were dispersed in water then transferred to a fryma via a sieve covered with muslim.

- 5 Denatured alcohol, dichlorobenzyl alcohol and triclosan were mixed together until homogenous. Perfume and then high surface area zinc oxide were then dispersed in the mixture. The mixture was then transferred to the fryma under vacuum via a sieve. The mixture was stirred for 30 minutes until homogeneous. Water was then added to make up to bulk.

10

**Example 18 – Emergency Gel + High Surface Area Zinc Oxide**

	<u>Ingredients</u>	<u>%</u>
15	Purified Water	37.00
	Hydroxypropyl Methylcellulose	2.50
	Sodium Citrate	0.30
	Alcohol (denatured)	20.00
	Butylene Glycol	15.00
20	Propylene Glycol	18.00
	Triclosan	0.20
	Salicylic Acid	2.00
	High Surface Area Zinc Oxide	5.00

- 25 Propylene glycol, butylene glycol and ethanol were mixed together. Salicylic acid and triclosan were then dissolved in the mixture. High surface area zinc oxide was then added to the stirred mixture. Hydroxypropyl methylcellulose was then dispersed in the mixture and the mixture was stirred for 30 minutes. Aqueous sodium citrate was then added to the mixture under vacuum and the mixture
- 30 stirred for a further 30 minutes.

The antimicrobial action of high surface area zinc oxide is illustrated by the following methods given below. The material was tested against three bacteria, implicated in dandruff and acne; *P. ovale*, *S. aureus* and *P. acnes*. In the following experiments the zinc oxide used has a surface area greater than 90m<sup>2</sup>/g and an average diameter of 10.47  $\mu$ m.

ANTIMICROBIAL ACTION AGAINST *P. OVALE*, *S. AUREUS* AND *P. ACNES*

10 Method

The high surface area zinc oxide was dispersed at a maximum concentration of 25% in acetone. Two fold dilutions were prepared in acetone and aliquots of each dilution added to the appropriate agars to give a range of concentrations from 2.5% to 0.16%. Test plates and "no product" controls containing water only were streaked with the test organisms. These were then incubated as appropriate for three days.

The *P.ovale* was incubated on *P.ovale* growth medium, made using:-

20

<u>Material</u>	<u>Quantity</u>
Malt extract agar	60g
Ox bile - dessicated	20g
25 Tween 40	10.0ml
Glycerol mono-oleate	2.5ml
Water	to 1 litre

This was then incubated aerobically at 37°C for three days.

30

*S.aureus* was tested on Tryptone Soya Agar which was incubated aerobically for 37°C for two days..

*P. acnes* was tested on Brain Infusion Agar which was incubated anaerobically at 37°C for three days.

## 5. Results

	Water Control	Acetone Control	High Surface Area Zinc Oxide Concentrations				
			2.5%	1.25%	0.6%	0.31%	0.16%
<i>P. ovale</i>	Growth	Growth	No Growth	No Growth	No Growth	No Growth	No Growth
<i>P. acnes</i>	Growth	Growth	No Growth	No Growth	No Growth	No Growth	No Growth
<i>S. aureus</i>	Growth	Growth	No Growth	No Growth	No Growth	No Growth	No Growth

- 10 Inhibition of growth was observed at the lowest concentration tested (0.16% in agar) for all three test organisms.

## Experiment 2

- 15 Determination of Minimum Inhibitory Concentrations (MIC) for High Surface Area Zinc Oxide.

## Method

- 20 The MIC of high surface area zinc oxide was determined against *P. ovale*, *S. aureus* and *P. acnes* using Zinc Oxide BP as a control. MIC is the minimum concentration at which the active material will inhibit the growth of the microorganisms to be tested. The control of Zinc Oxide BP, and the test, high

surface area zinc oxide, were suspended in acetone at 12.5% and aliquots were added to the agar to give a range of concentrations from 6250ppm to 98ppm.

The *P.ovale* was incubated on *P.ovale* growth medium, made using:-

5

<u>Material</u>	<u>Quantity</u>
Malt extract agar	60g
Ox bile - dessicated	20g
10 Tween 40	10.0ml
Glycerol mono-oleate	2.5ml
Water	to 1 litre

This was then incubated aerobically at 37°C for three days.

15

*S.aureus* was tested on Tryptone Soya Agar which was incubated aerobically at 37°C for two days.

20 *P.acnes* was tested on Brain Heart Infusion Agar which was incubated anaerobically at 37°C for three days.

### Results

Table 2

25

Microorganism	High Surface Area Zinc Oxide MIC	Zinc Oxide BP Control MIC
<i>P. ovale</i>	1562 ppm	3125 ppm
<i>S. aureus</i>	390 ppm	>6250 ppm
<i>P. acnes</i>	190 ppm	195 ppm

From this we can see that high surface area zinc oxide inhibits the growth of *P.ovale* and *S.aureus* at a lower concentration than the Zinc Oxide BP control. The high surface area zinc oxide inhibits the growth of *P.acnes* at the same  
5 concentration as the Zinc Oxide Control.

This means that the high surface area zinc oxide inhibits the growth of these three organisms better, or as well as the Zinc Oxide control. These results were obtained using the neat raw materials.

CLAIMS

1. Topical antimicrobial composition comprising a cosmetically acceptable diluent or carrier and an antimicrobially effective amount of high surface area zinc oxide powder, having a surface area between  $30\text{m}^2/\text{g}$  and  $100\text{m}^2/\text{g}$  and a particle size between  $0.1$  and  $200\text{ }\mu\text{m}$  in diameter.
2. A composition as claimed in claim 1 where the surface area of the high surface area zinc oxide is between  $90$  and  $100\text{m}^2/\text{g}$  and the particle size is between  $0.1$  and  $20.5\text{ }\mu\text{m}$  in diameter.
3. A composition as claimed in claim 1 where the high surface area zinc oxide is present from  $1$  to  $10\%$  by weight of the total composition.
4. A composition as claimed in claim 1 where the high surface area zinc oxide is present from  $3$  to  $8\%$  by weight of the total composition.
5. A composition as claimed in claim 1 where the high surface area zinc oxide is present from  $4$  to  $6\%$  by weight of the total composition.
6. The use of high surface area zinc oxide in the treatment of acne, athletes foot, nappy rash and dandruff.
7. The use of high surface area zinc oxide in the preparation of a medicament for the treatment of acne, athletes foot, nappy rash and dandruff.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/03592

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61K7/48 A61K7/06

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 603 627 A (BAYER AG ; HAARMANN & REIMER GMBH (DE)) 29 June 1994 (1994-06-29) page 3, line 10 - line 11 page 3, line 18 - line 19 claims 1-4,15; example 4 page 3, line 25 - line 33 ---	1-5
Y	PATENT ABSTRACTS OF JAPAN vol. 015, no. 060 (C-0805), 13 February 1991 (1991-02-13) & JP 02 289506 A (SAKAI CHEM IND CO LTD), 29 November 1990 (1990-11-29) abstract --- -/--	1-7

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

14 September 1999

Date of mailing of the international search report

22/09/1999

Name and mailing address of the ISA

European Patent Office, P.O. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Pelli Wablat, B



## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/03592

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	TICHY S: "TRANSPARENT ZNO FOR SKIN- AND SUNPROTECTION" SOFW-JOURNAL SEIFEN, OELE, FETTE, WACHSE, vol. 119, no. 8, 8 June 1993 (1993-06-08), pages 487-490, XP000370086 ISSN: 0942-7694 cited in the application page 488, last paragraph page 489 ----	1-7
A	GB 2 184 356 A (KAO CORP) 24 June 1987 (1987-06-24) claims; examples ----	1-5
A	DATABASE WPI Section Ch, Week 9616 Derwent Publications Ltd., London, GB; Class A26, AN 96-157291 XP002115277 & JP 08 041379 A (KAO CORP), 13 February 1996 (1996-02-13) abstract ----	1-5
A	GB 2 233 227 A (BUCKENHAM PAUL ELDREDET AL.) 9 January 1991 (1991-01-09) claims -----	1,4-7

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/03592

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0603627 A	29-06-1994	DE 4242949 A AT 134185 T AU 669021 B AU 5242893 A CA 2111559 A DE 59301643 D ES 2085707 T US 5527519 A	23-06-1994 15-02-1996 23-05-1996 30-06-1994 19-06-1994 28-03-1996 01-06-1996 18-06-1996
JP 02289506 A	29-11-1990	NONE	
GB 2184356 A	24-06-1987	DE 3642794 A FR 2591480 A HK 44590 A JP 62228006 A US 5032390 A	19-06-1987 19-06-1987 15-06-1990 06-10-1987 16-07-1991
JP 8041379 A	13-02-1996	NONE	
GB 2233227 A	09-01-1991	NONE	

Form PCT/ISA/210 (patent family annex) (July 1992)